

ALABAMA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT
AIR DIVISION
ADMINISTRATIVE CODE

CHAPTER 335-3-7
CARBON MONOXIDE EMISSIONS

TABLE OF CONTENTS

335-3-7-.01 **Metals Production**
335-3-7-.02 **Petroleum Processes**

335-3-7-.01 **Metals Production.**

No person shall emit the carbon monoxide gases generated during the operation of a grey iron cupola, blast furnace, or basic oxygen steel furnace unless they are burned at a 1300° F for 0.3 seconds or greater in a direct flame afterburner or equivalent device equipped with an indicating pyrometer which is positioned in the working area at the operator's eye level.

Author: James W. Cooper, John E. Daniel

Statutory Authority: Code of Ala. 1975, §§22-28-14, 22-22A-5, 22-22A-6, 22-22A-8.

History: Effective Date: January 18, 1972. **Amended:**

335-3-7-.02 **Petroleum Processes.**

No person shall emit carbon monoxide waste gas stream from any catalyst regeneration of a petroleum cracking system, petroleum fluid coker, or other petroleum process into the atmosphere, unless the waste gas stream is burned at 1300° F for 0.3 seconds or greater in a direct-flame afterburner or boiler equipped with an indicating pyrometer which is positioned in the working area at the operator's eye level.

Author: James W. Cooper, John E. Daniel

Statutory Authority: Code of Ala. 1975, §§22-28-14, 22-22A-5; 22-22A-6, 22-22A-8.

History: Effective Date: January 18, 1972. **Amended:**